-210-c.
(Rev. 3-62)

UNITED STATES DEPARTMENT OF THE INTER...

GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

Sta. No.

...ating table for Utah Lake Dated October, 1963

...om ... to ...; from ... to

...om ... to ...; from ... to

...Feet	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area in 1000 Acres
3 .0	1195.3	1196.3	1197.4	1198.4	1199.4	1200.4	1201.5	1202.5	1203.5	1204.6	102.9
.1	1205.6	1206.6	1207.7	1208.7	1209.7	1210.8	1211.8	1212.8	1213.9	1214.9	103.2
.2	1215.9	1217.0	1218.0	1219.0	1220.1	1221.1	1222.1	1223.2	1224.2	1225.2	103.4
.3	1226.3	1227.3	1228.4	1229.4	1230.4	1231.5	1232.5	1233.6	1234.6	1235.6	103.7
.4	1236.7	1237.7	1238.8	1239.8	1240.8	1241.9	1242.9	1244.0	1245.0	1246.0	104.0
.5	1247.1	1248.1	1249.2	1250.2	1251.3	1252.3	1253.3	1254.4	1255.4	1256.5	104.2
.6	1257.5	1258.6	1259.6	1260.7	1261.7	1262.7	1263.8	1264.8	1265.9	1266.9	104.5
.7	1268.0	1269.0	1270.1	1271.1	1272.2	1273.2	1274.3	1275.3	1276.4	1277.4	104.8
.8	1278.5	1279.5	1280.6	1281.6	1282.7	1283.7	1284.8	1285.8	1286.9	1287.9	105.1
.9	1289.0	1290.1	1291.1	1292.2	1293.2	1294.3	1295.3	1296.4	1297.4	1298.5	105.4
4 .0	1299.6	1300.6	1301.7	1302.7	1303.8	1304.8	1305.9	1307.0	1308.0	1309.1	105.6
.1	1310.1	1311.2	1312.2	1313.3	1314.4	1315.4	1316.5	1317.6	1318.6	1319.7	105.9
.2	1320.7	1321.8	1322.9	1323.9	1325.0	1326.0	1327.1	1328.2	1329.2	1330.3	106.2
.3	1331.4	1332.4	1333.5	1334.6	1335.6	1336.7	1337.8	1338.8	1339.9	1341.0	106.5
.4	1342.0	1343.1	1344.2	1345.2	1346.3	1347.4	1348.4	1349.5	1350.6	1351.7	106.8
.5	1352.7	1353.8	1354.9	1355.9	1357.0	1358.1	1359.2	1360.2	1361.3	1362.4	107.1
.6	1363.4	1364.5	1365.6	1366.7	1367.7	1368.8	1369.9				107.4
.7											
.8											
.9											
.0											
.1											
.2											
.3											
.4											
.5											
.6											
.7											
.8											
.9											

...puted by U.S.B.R.- Provo Oct ...63 Copied ~~Checked~~ by D.I.G & CP 29 Oct 1966 Remarks

D. Gardner & Carol Peterson

Checked by Harold Chase USGS

Sheet 1 of 7

-210-d
Rev. 5-62)

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

Sta. No.

Rating table for Content of Utah Lake Dated October, 1963

From -13.30 Elev. 4476.00 to 0.00 (Compromise) Elev. 4489.34; from 0.00 (Compromise) Elev. 4489.34 to +4.66 Elev. 4494.00

Gage Reading Feet	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area 1000 Acres
Compromise	898.0	899.0	899.9	900.9	901.8	902.8	903.7	904.7	905.6	906.6	95.2
.1	907.5	908.5	909.4	910.4	911.4	912.3	913.3	914.2	915.2	916.1	95.5
.2	917.1	918.1	919.0	920.0	920.9	921.9	922.8	923.8	924.8	925.7	95.7
.3	926.7	927.6	928.6	929.6	930.5	931.5	932.4	933.4	934.4	935.3	96.0
.4	936.3	937.3	938.2	939.2	940.2	941.1	942.1	943.0	944.0	945.0	96.3
.5	946.0	946.9	947.9	948.8	949.8	950.8	951.8	952.7	953.7	954.7	96.6
.6	955.6	956.6	957.6	958.5	959.5	960.5	961.4	962.4	963.4	964.4	96.9
.7	965.3	966.3	967.3	968.3	969.2	970.2	971.2	972.1	973.1	974.1	97.2
.8	975.1	976.0	977.0	978.0	979.0	979.9	980.9	981.9	982.9	983.8	97.4
.9	984.8	985.8	986.8	987.8	988.7	989.7	990.7	991.7	992.6	993.6	97.7
1.0	994.6	995.6	996.6	997.5	998.5	999.5	1000.5	1001.5	1002.4	1003.4	97.9
.1	1004.4	1005.4	1006.4	1007.3	1008.3	1009.3	1010.3	1011.3	1012.3	1013.2	98.1
.2	1014.2	1015.2	1016.2	1017.2	1018.2	1019.1	1020.1	1021.1	1022.1	1023.1	98.4
.3	1024.1	1025.1	1026.1	1027.0	1028.0	1029.0	1030.0	1031.0	1032.0	1033.0	98.6
.4	1034.0	1034.9	1035.9	1036.9	1037.9	1038.9	1039.9	1040.9	1041.9	1042.9	98.8
.5	1043.8	1044.8	1045.8	1046.8	1047.8	1048.8	1049.8	1050.8	1051.8	1052.8	99.1
.6	1053.8	1054.8	1055.8	1056.8	1057.7	1058.7	1059.7	1060.7	1061.7	1062.7	99.3
.7	1063.7	1064.7	1065.7	1066.7	1067.7	1068.7	1069.7	1070.7	1071.7	1072.7	99.6
.8	1073.7	1074.7	1075.7	1076.7	1077.7	1078.7	1079.7	1080.7	1081.7	1082.7	99.8
.9	1083.7	1084.7	1085.7	1086.7	1087.7	1088.7	1089.7	1090.7	1091.7	1092.7	100.1
2.0	1093.7	1094.7	1095.7	1096.7	1097.7	1098.7	1099.7	1100.7	1101.7	1102.7	100.3
.1	1103.7	1104.8	1105.8	1106.8	1107.8	1108.8	1109.8	1110.8	1111.8	1112.8	100.6
.2	1113.8	1114.8	1115.8	1116.8	1117.8	1118.9	1119.9	1120.9	1121.9	1122.9	100.8
.3	1123.9	1124.9	1125.9	1126.9	1128.0	1129.0	1130.0	1131.0	1132.0	1133.0	101.1
.4	1134.0	1135.0	1136.1	1137.1	1138.1	1139.1	1140.1	1141.1	1142.1	1143.2	101.3
.5	1144.2	1145.2	1146.2	1147.2	1148.2	1149.3	1150.3	1151.3	1152.3	1153.3	101.6
.6	1154.3	1155.4	1156.4	1157.4	1158.4	1159.4	1160.5	1161.5	1162.5	1163.5	101.8
.7	1164.5	1165.6	1166.6	1167.6	1168.6	1169.7	1170.7	1171.7	1172.7	1173.7	102.1
.8	1174.8	1175.8	1176.8	1177.8	1178.9	1179.9	1180.9	1181.9	1183.0	1184.0	102.4
.9	1185.0	1186.0	1187.1	1188.1	1189.1	1190.2	1191.2	1192.2	1193.2	1194.3	102.6

Computed by U.S.B.R.- Provo Oct 1963; ~~Checked~~ Copied by D.I.G. & C.P. 29/Oct/1966 Remarks
Checked by H.C. USGS

Sheet No. 2 of 7

9-210-4
(Rev. 3-62)

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

Rating table for Content of Utah Lake

Sta. No.

Dated October, 1963

from Gageheight -13.30 to Compromise 0 ; from Compromise 0 to +4.66
from Elev. 4476.00 to Elev. 4489.34 ; from Elev. 4489.34 to Elev. 4494.00

Top of 1935 Dam 827.9 A.F. 2470.1 at Compromise

Gage Height	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area in 1000 Acres
Compromise	898.0	897.0	896.1	895.1	894.2	893.2	892.3	891.3	890.4	889.4	95.2
.1	888.5	887.6	886.6	885.7	884.7	883.8	882.8	881.9	880.9	880.0	94.9
.2	879.0	878.1	877.1	876.2	875.2	874.3	873.4	872.4	871.5	870.5	94.6
.3	869.6	868.6	867.7	866.8	865.8	864.9	863.9	863.0	862.0	861.1	94.3
.4	860.2	859.2	858.3	857.3	856.4	855.5	854.5	853.6	852.7	851.7	94.0
.5	850.8	849.8	848.9	848.0	847.0	846.1	845.2	844.2	843.3	842.4	93.7
.6	841.4	840.5	839.6	838.6	837.7	836.8	835.8	834.9	834.0	833.0	93.4
.7	832.1	831.2	830.2	829.3	828.4	827.4	826.5	825.6	824.6	823.7	93.2
.8	822.8	821.9	820.9	820.0	819.1	818.1	817.2	816.3	815.4	814.4	92.9
.9	813.5	812.6	811.7	810.7	809.8	808.9	808.0	807.0	806.1	805.2	92.6
-1.0	804.3	803.3	802.4	801.5	800.6	799.7	798.7	797.8	796.9	796.0	92.3
.1	795.0	794.1	793.2	792.3	791.4	790.4	789.5	788.6	787.7	786.8	92.1
.2	785.9	784.9	784.0	783.1	782.2	781.3	780.4	779.4	778.5	777.6	91.8
.3	776.7	775.8	774.9	773.9	773.0	772.1	771.2	770.3	769.4	768.5	91.5
.4	767.6	766.6	765.7	764.8	763.9	763.0	762.1	761.2	760.3	759.3	91.3
.5	758.4	757.5	756.6	755.7	754.8	753.9	753.0	752.1	751.2	750.3	91.0
.6	749.4	748.4	747.5	746.6	745.7	744.8	743.9	743.0	742.1	741.2	90.7
.7	740.3	739.4	738.5	737.6	736.7	735.8	734.9	734.0	733.1	732.2	90.5
.8	731.3	730.4	729.5	728.6	727.7	726.8	725.9	725.0	724.1	723.2	90.2
.9	722.3	721.4	720.5	719.6	718.7	717.8	716.9	716.0	715.1	714.2	89.9
-2.0	713.3	712.4	711.5	710.6	709.7	708.8	707.9	707.0	706.1	705.2	89.7
.1	704.3	703.4	702.5	701.6	700.7	699.8	699.0	698.1	697.2	696.3	89.4
.2	695.4	694.5	693.6	692.7	691.8	690.9	690.0	689.2	688.3	687.4	89.2
.3	686.5	685.6	684.7	683.8	682.9	682.0	681.2	680.3	679.4	678.5	88.9
.4	677.6	676.7	675.8	674.9	674.1	673.2	672.3	671.4	670.5	669.6	88.7
.5	668.8	667.9	667.0	666.1	665.2	664.3	663.5	662.6	661.7	660.8	88.4
.6	659.9	659.0	658.2	657.3	656.4	655.5	654.6	653.8	652.9	652.0	88.2
.7	651.1	650.2	649.4	648.5	647.6	646.7	645.8	645.0	644.1	643.2	87.9
.8	642.3	641.5	640.6	639.7	638.8	638.0	637.1	636.2	635.3	634.5	87.7
.9	633.6	632.7	631.8	631.0	630.1	629.2	628.3	627.5	626.6	625.7	87.4

Computed by U.S.B.R. - Provo 1 Oct 1963 Copied ~~Checked~~ by D.I.G. & C.P. 29 Oct 1966 Remarks

Checked by H.C. USGS

Sheet No 3 of 7

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

...ing table for Utah Lake — Sta. No. ..... — October, 1963

...m ..... to ..... ; from ..... to .....

...m ..... to ..... ; from ..... to .....

	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area in 1000 Acres
3.0	624.9	624.0	623.1	622.2	621.4	620.5	619.6	618.8	617.9	617.0	87.2
.1	616.1	615.3	614.4	613.5	612.7	611.8	610.9	610.1	609.2	608.3	87.0
.2	607.5	606.6	605.7	604.9	604.0	603.1	602.3	601.4	600.5	599.7	86.7
.3	598.8	597.9	597.1	596.2	595.3	594.5	593.6	592.8	591.9	591.0	86.5
.4	590.2	589.3	588.4	587.6	586.7	585.9	585.0	584.1	583.3	582.4	86.2
.5	581.6	580.7	579.8	579.0	578.1	577.3	576.4	575.6	574.7	573.8	85.9
.6	573.0	572.1	571.3	570.4	569.6	568.7	567.9	567.0	566.2	565.3	85.6
.7	564.4	563.6	562.7	561.9	561.0	560.2	559.3	558.5	557.6	556.8	85.3
.8	555.9	555.1	554.2	553.4	552.5	551.7	550.8	550.0	549.1	548.3	85.0
.9	547.5	546.6	545.8	544.9	544.1	543.2	542.4	541.5	540.7	539.8	84.7
4.0	539.0	538.2	537.3	536.5	535.6	534.8	533.9	533.1	532.3	531.4	84.3
.1	530.6	529.7	528.9	528.1	527.2	526.4	525.5	524.7	523.9	523.0	84.0
.2	522.2	521.4	520.5	519.7	518.8	518.0	517.2	516.3	515.5	514.7	83.7
.3	513.8	513.0	512.2	511.3	510.5	509.7	508.8	508.0	507.2	506.4	83.4
.4	505.5	504.7	503.9	503.0	502.2	501.4	500.5	499.7	498.9	498.1	83.1
.5	497.2	496.4	495.6	494.7	493.9	493.1	492.3	491.4	490.6	489.8	82.8
.6	489.0	488.1	487.3	486.5	485.7	484.8	484.0	483.2	482.4	481.6	82.4
.7	480.7	479.9	479.1	478.3	477.5	476.6	475.8	475.0	474.2	473.4	82.1
.8	472.5	471.7	470.9	470.1	469.3	468.5	467.6	466.8	466.0	465.2	81.8
.9	464.4	463.6	462.8	461.9	461.1	460.3	459.5	458.7	457.9	457.1	81.5
5.0	456.3	455.4	454.6	453.8	453.0	452.2	451.4	450.6	449.8	449.0	81.1
.1	448.2	447.4	446.5	445.7	444.9	444.1	443.3	442.5	441.7	440.9	80.8
.2	440.1	439.3	438.5	437.7	436.9	436.1	435.3	434.5	433.7	432.9	80.5
.3	432.1	431.3	430.5	429.7	428.9	428.1	427.3	426.5	425.7	424.9	80.2
.4	424.1	423.3	422.5	421.7	420.9	420.1	419.3	418.5	417.7	416.9	79.8
.5	416.1	415.3	414.5	413.7	412.9	[illegible]	411.3	410.5	409.8	409.0	79.5
.6	408.2	407.4	406.6	405.8	405.0	[illegible]	403.4	402.6	401.8	401.1	79.2
.7	400.3	399.5	398.7	397.9	397.1	396.3	395.5	394.8	394.0	393.2	78.8
.8	392.4	391.6	390.8	390.0	389.3	388.5	387.7	386.9	386.1	385.4	78.5
.9	384.6	383.8	383.0	382.2	381.4	380.7	379.9	379.1	378.3	377.6	78.1

Computed by U.S.B.R.-Provo 10 Oct 19 63 ; ~~Checked~~ Copied by DIG&CP 29 Oct 1966 Remarks

Checked by H.C. USGS

Sheet No. 1 of 1

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

Sta. No.

ting table for Utah Lake

Dated October, 1963

m to ; from to

m to ; from to

	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area in 1000 Acres
6.0	376.8	376.0	375.2	374.4	373.7	372.9	372.1	371.3	370.6	369.8	77.8
.1	369.0	368.2	367.5	366.9	365.9	365.1	364.4	363.6	362.8	362.0	77.5
.2	361.3	360.5	359.7	359.0	358.2	357.4	356.7	355.9	355.1	354.4	77.1
.3	353.6	352.8	352.0	351.3	350.5	349.7	349.0	348.2	347.5	346.7	76.8
.4	345.9	345.2	344.4	343.6	342.9	342.1	341.3	340.6	339.8	339.1	76.4
.5	338.3	337.5	336.8	336.0	335.2	334.5	333.7	333.0	332.2	331.5	76.1
.6	330.7	329.9	329.2	328.4	327.7	326.9	326.2	325.4	324.7	323.9	75.7
.7	323.1	322.4	321.6	320.9	320.1	319.4	318.6	317.9	317.1	316.4	75.4
.8	315.6	314.9	314.1	313.4	312.6	311.9	311.1	310.4	309.6	308.9	75.0
.9	308.1	307.4	306.6	305.9	305.1	304.4	303.7	302.9	302.2	301.4	74.7
7.0	300.7	299.9	299.2	298.5	297.7	297.0	296.2	295.5	294.8	294.0	74.3
.1	293.3	292.5	291.8	291.0	290.3	289.6	288.8	288.1	287.4	286.6	74.0
.2	285.9	285.2	284.4	283.7	282.9	282.2	281.5	280.7	280.0	279.3	73.6
.3	278.5	277.8	277.1	276.3	275.6	274.9	274.2	273.4	272.7	272.0	73.3
.4	271.2	270.5	269.8	269.0	268.3	267.6	266.9	266.1	265.4	264.7	72.9
.5	264.0	263.2	262.5	261.8	261.1	260.3	259.6	258.9	258.2	257.5	72.5
.6	256.7	256.0	255.3	254.6	253.8	253.1	252.4	251.7	251.0	250.2	72.2
.7	249.5	248.8	248.1	247.4	246.7	245.9	245.2	244.5	243.8	243.1	71.8
.8	242.4	241.7	240.9	240.2	239.5	238.8	238.1	237.4	236.7	236.0	71.4
.9	235.3	234.5	233.8	233.1	232.4	231.7	231.0	230.3	229.6	228.9	71.0
8.0	228.2	227.5	226.8	226.1	225.4	224.7	224.0	223.2	222.5	221.8	70.6
.1	221.1	220.4	219.7	219.0	218.3	217.6	216.9	216.2	215.6	214.9	70.1
.2	214.2	213.5	212.8	212.1	211.4	210.7	210.0	209.3	208.6	208.0	69.7
.3	207.2	206.5	205.8	205.1	204.4	203.8	203.1	202.4	201.7	201.0	69.2
.4	200.3	199.6	198.9	198.3	197.6	196.9	196.2	195.5	194.8	194.2	68.7
.5	193.5	192.8	192.1	191.4	190.7	190.1	189.4	188.7	188.0	187.4	68.2
.6	186.7	186.0	185.3	184.7	184.0	183.3	182.6	182.0	181.3	180.6	67.7
.7	179.9	179.3	178.6	177.9	177.3	176.6	175.9	175.3	174.6	173.9	67.1
.8	173.3	172.6	171.9	171.3	170.6	169.9	169.3	168.6	168.0	167.3	66.5
.9	166.6	166.0	165.3	164.7	164.0	163.3	162.7	162.0	161.4	160.7	65.9

Computed by U.S.B.R-Provo Oct 1963 ; Copied ~~Checked~~ by D.I.G.& C.P. 29 Oct 1966 Remarks

Checked by H.C. USGS.

Sheet 5 of 7

9-210-b
(Rev. 7-62)

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

Rating table for Utah Lake Dated October, 1963

from ..... to ..... ; from ..... to .....

from ..... to ..... ; from ..... to .....

Gage Height Feet	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area in Acres
-9.0	160.1	159.4	158.8	158.1	157.5	156.8	156.2	155.5	154.9	154.2	65.3
.1	153.6	152.9	152.3	151.6	151.0	150.3	149.7	149.1	148.4	147.8	64.7
.2	147.1	146.5	145.9	145.2	144.6	143.9	143.3	142.7	142.0	141.4	64.0
.3	140.8	140.1	139.5	138.9	138.2	137.6	137.0	136.4	135.7	135.1	63.3
.4	134.5	133.9	133.2	132.6	132.0	131.4	130.7	130.1	129.5	128.9	62.6
.5	128.3	127.6	127.0	126.4	125.8	125.2	124.6	124.0	123.3	122.7	61.8
.6	122.1	121.5	120.9	120.3	119.7	119.1	118.5	117.9	117.3	116.7	61.0
.7	116.1	115.5	114.9	114.3	113.7	113.1	112.5	111.9	111.3	110.7	60.1
.8	110.1	109.5	108.9	108.3	107.7	107.2	106.6	106.0	105.4	104.8	59.2
.9	104.2	103.6	103.1	102.5	101.9	101.3	100.8	100.2	99.6	99.0	58.3
-10.0	98.5	97.9	97.3	96.7	96.2	95.6	95.0	94.5	93.9	93.3	57.3
.1	92.8	92.2	91.7	91.1	90.5	90.0	89.4	88.9	88.3	87.8	56.2
.2	87.2	86.7	86.1	85.6	85.0	84.5	83.9	83.4	82.8	82.3	55.1
.3	81.8	81.2	80.7	80.1	79.6	79.1	78.5	78.0	77.5	77.0	53.9
.4	76.4	75.9	75.4	74.8	74.3	73.8	73.3	72.8	72.3	71.7	52.7
.5	71.2	70.7	70.2	69.7	69.2	68.7	68.2	67.7	67.2	66.7	51.3
.6	66.2	65.7	65.2	64.7	64.2	63.7	63.2	62.7	62.2	61.7	49.9
.7	61.2	60.8	60.3	59.8	59.3	58.8	58.4	57.9	57.4	57.0	48.4
.8	56.5	56.0	55.5	55.1	54.6	54.2	53.7	53.3	52.8	52.3	46.8
.9	51.9	51.4	51.0	50.5	50.1	49.7	49.2	48.8	48.4	47.9	45.0
-11.0	47.5	47.1	46.6	46.2	45.8	45.3	44.9	44.5	44.1	43.7	43.1
.1	43.3	42.9	42.4	42.0	41.6	41.2	40.8	40.4	40.1	39.7	41.1
.2	39.3	38.9	38.5	38.1	37.7	37.3	37.0	36.6	36.2	35.9	38.9
.3	35.5	35.1	34.8	34.4	34.0	33.7	33.3	33.0	32.6	32.3	36.5
.4	31.9	31.6	31.2	30.9	30.5	30.2	29.9	29.6	29.2	28.9	34.6
.5	28.6	28.2	27.9	27.6	27.2	26.9	26.6	26.3	26.0	25.6	33.1
.6	25.3	25.0	24.7	24.4	24.1	23.8	23.5	23.2	22.9	22.6	31.5
.7	22.3	22.0	21.7	21.4	21.1	20.8	20.5	20.2	19.9	19.6	29.8
.8	19.4	19.1	18.8	18.5	18.2	18.0	17.7	17.4	17.2	16.9	28.1
.9	16.6	16.4	16.1	15.8	15.6	15.3	15.1	14.8	14.6	14.3	26.4

Computed by USBR-Provo Oct 1963; Copied ~~Checked~~ by DIG & CP 29 Oct 1966 Remarks

Checked by HC. USGS

210-f.
(ev. 5-62)

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY (WATER RESOURCES DIVISION)

Sta. No.

ating table for Utah Lake Dated October, 1963

om ..... to ..... ; from ..... to .....

om ..... to ..... ; from ..... to .....

Gage height Feet	.00 A.F.	.01 A.F.	.02 A.F.	.03 A.F.	.04 A.F.	.05 A.F.	.06 A.F.	.07 A.F.	.08 A.F.	.09 A.F.	Area in Acres
2.0	14.1	13.8	13.6	13.3	13.1	12.9	12.6	12.4	12.2	12.0	24.6
.1	11.7	11.5	11.3	11.0	10.8	10.6	10.4	10.2	10.0	9.8	22.7
.2	9.5	9.3	9.1	8.9	8.7	8.5	8.3	8.1	8.0	7.8	20.8
.3	7.6	7.4	7.2	7.0	6.8	6.6	6.5	6.3	6.1	6.0	18.7
.4	5.8	5.6	5.5	5.3	5.1	5.0	4.8	4.7	4.6	4.4	16.6
.5	4.3	4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	14.3
.6	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	12.0
.7	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	9.4
.8	1.1	1.0	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	6.7
.9	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	4.1
3.0	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	2.1
.1	0.08	0.07	0.06	0.05	0.04	0.04	0.03	0.03	0.03	0.03	0.9
.2	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.3
.3	0.003										0.1
.4											
.5											
.6											
.7											
.8											
.9											
.0											
.1											
.2											
.3											
.4											
.5											
.6											
.7											
.8											
.9											

Area in 1.060 Acres

mputed by USBR - Provo Oct 1963 ; Copied ~~Checked~~ by D.I.G. & cp 29 Oct 1966 Remarks

Checked by H.C. USGS

Sheet 7 of 7