

Nine Mile Creek Distribution System Meeting
February 7, 1973

Meeting conducted by John Bene. Meeting began at 2:30 p.m.

Minutes of last year's meeting were read by Don Norseth.

Motion was made by Lyle Bryner and seconded by Albert Thayn to accept the minutes as read.

The financial statement was then read by Ken McKinney.

Motion was made by Howard Price and seconded by Nev Wimmer to accept the statement as read. Motion carried.

Commissioner's report was read by Frank Albertson. It was noted by Frank that Henry Mills did not have his measuring device in on the lower ditch.

Mr. Albertson submitted his bill for the 1972 irrigation season at \$107.60. Frank stated that he would not be able to take the 1973 commissioner's job. He said that he had sold out and would be moving about the first of May. Howard Price suggested the Commissioner's position remain vacant until a suitable replacement for Frank Albertson be found. All water users were asked for suggestions and asked to be on the lookout for a suitable replacement.

Motion by Albert Thayn and seconded by George Waterman for Henry Mills to leave the budget for 1973 the same as last year. Motion carried.

No assessment will be made for the 1973 season because there is enough in the account to carry the system for the 1973 season.

Snow survey report by Lyle Bryner shows the amount of snow in the Nine Mile area to be slightly above average and somewhat below last year.

Meeting adjourned at 3:05 p.m.

The following were in attendance at the meeting:

John Bene - Deputy State Engineer
Don Norseth - Distribution Engineer, Division of Water Rights
Harold Donaldson - Adjudication Engineer, Division of Water Rights
Kenward H. McKinney - Area Engineer, Division of Water Rights
LaMond Gardner - Assistant Engineer, Division of Water Rights
N. L. Wimmer
G. W. Waterman for Henry Mills
H. J. Wimmer
Gerald Burdick
Frank Albertson
Mrs. Louis Motte
Howard Price - Preston Nutter Corporation
Tom Anderson - Preston Nutter Corporation
Albert Thayn
Lyle Bryner
Sharp Bryner

