SANTA CLARA RIVER DISTRIBUTION SYSTEM
** 1956 ASSESSMENT **
$1,500.00

BASIS OF ASSESSMENT

(Note: See 1951 description for basis of assessment.)

The calculating factors for 1956 are obtained as follows:

The increase for 1956 of $200.00 over that of the 1955 assessment is ~~formed~~ found by dividing the 1956 assessment of $1,500.00 by the 1955 assessment of $1,300.00. Such increase is 1.153846153, or the overall factor of increase which is applied against each water user's 1955 assessment as well as each of the COURT DECREED PRIORITIES listed below:

PRIORITY YEAR	1955 FACTOR	1956 INCREASE	1956 FACTOR
1890	17.55791164	1.153846153	20.25912880
1907	5.864722209	"	6.766987159
1930	3.905770615	"	4.506658398
STORAGE	.0278121372	"	.0320909275
POWER	4.183912378	"	4.827591201
VEYO IRRIG. (1911)	3.518833325	"	4.060192295

PREPARED by: _____
Frank Reese
Chief Accountant
February 18, 1956.

Santa Clara Water Users -- Rate for each listed Priority as of 1955 Budget ($1,300.00) & Assessment

(74)

	1890	1907	1930	Storage	Power	(Veto 12/12/19) 1911	1955 $ Assess	$1500.00
	17.55791164	5.864722209	9.905770615	.0278121372	4.183912378	3.518833325		
1	3.28						57.58	66.44
2	2.31	10.00					99.20	114.46
3	.38						6.67	7.70
4					55.00		230.11	265.51
5				373.50			10.38	11.98
6	3.10						54.42	62.79
7		2.60					15.24	17.58
8	.23						4.04	4.66
9		.20					1.17	1.35
10	.06						1.05	1.21
11	7.92						139.06	160.45
12			30.00	1000.00			144.98	167.29
13	13.33						234.05	270.06
14	8.70						152.75	176.25
15	3.98						69.88	80.63
16	1.38						24.22	27.95
17	1.14					10.00	55.20	63.69
							$1300.00	$1,500.00
	45.81	12.80	30.00	1,373.50	55.00	10.00		
(1956 Rate)	20.25912880	6.766987159	4.506658398	.0320909275	4.827591201	4.060192295		

(Percentage of Increase for $1,500.00 assessment is 1.153846153

45.81 = 804.32
12.80 = 75.06
30.00 = 117.16
1,373.50 = 38.19
55.00 = 230.10
10.00 = 35.18

$1,300.01