



**GARY R. HERBERT**  
*Governor*

**SPENCER J. COX**  
*Lieutenant Governor*

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

**MICHAEL R. STYLER**  
*Executive Director*

### Division of Water Rights

**KENT L. JONES**  
*State Engineer Division Director*

May 14, 2019

Michael J. Valiant, Director of Agronomy  
GGC Member Acquisition Inc.  
7600 Glenwild Drive  
Park City, Utah 84098

Dear Mr. Valiant:

Thank you for submitting Glenwild Golf Club's 2019 Water Use Plan, which is the same as the draft plan without any changes this year. The enclosed plan is approved for implementation. Please maintain water diversions within these plan limits.

It is important to coordinate water diversions with the water commissioners to officially report diversions at each point of diversion (POD). It appears based on the plan that water will be pumped from the well this year.

If you have questions relating to your approved plan, I can be reached at the number below.

Sincerely,

Ben L. Anderson, P.E.  
Distribution Engineer  
Field Services

Enclosure:

cc: Michael Drake, Regional Engineer  
Cole Panter, Weber River Water Commissioner  
Dennis Marchant, Deputy Commissioner




GLENWILD GOLF CLUB WATER USE PLAN			2019
Limit is 129.1 acres irrigation/yr and 6.5 ac-ft of pond evaporation. Glenwild maintains 86.5 acres of permanent turf irrigation. They rotate the remaining 42.6 acres of irrigation on the remaining 66.7 acres to meet the total of 153.2 acres of irrigation and 6.5 ac-ft of pond evaporation to make up the total use of 393.8 ac-ft per year.	Surface water tributary to East Canyon Creek nr Willow Draw	Gray Hawk Well #2	WATER RIGHT TOTAL
a40098 (Filed on 35-11414, 35-11415, and 35-11416)	264.0	129.8	393.8
SOURCE TOTAL	264.0	129.8	393.8

Note: Well is used to supplement surface flow when needed. Voluntary well diversions also improve instream flow downstream, helping to dilute treated wastewater entering the creek.

Note: The diversion limit for both the 6.5 ac-ft of pond evaporation and 153.2 acres of irrigation is 393.8 ac-ft per year.

According to the certificated OSE, 1864/2014 Priority applies to well water and surface diversions. The Water Commissioner reports river and groundwater diversions, assisted by Deputy Commissioner.

See OSE approving the change application for details regarding the use limitations. Flow limitation is 1.668 cfs maximum.



# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
*Executive Director*

**Division of Water Rights**  
KENT L. JONES  
*State Engineer Division Director*

May 14, 2019

Mr. Steven E. Clyde  
One Utah Center  
201 South Main Street, Suite 1300  
Salt Lake City, Utah 84111

RE: Richard L. Clissold 2019 Water Use Plan Approval

Mr. Clyde:

Thank you for your letter dated December 31, 2018 regarding the 2019 Water Use Plan for Richard L. Clissold Living Trust. As planned, we do not anticipate any diversions under this plan this year. An update to the enclosed plan would be necessary prior to using any water in 2019.

Thank you for your participation in the planning process. If you have questions relating to your approved plan, I can be reached at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Ben L. Anderson".

Ben L. Anderson, P.E.  
Distribution Engineer  
Field Services

Enclosure:

cc: Michael Drake, Regional Engineer  
Cole Panter, Weber River Water Commissioner  
Dennis Marchant, Deputy Commissioner



CLISSOLD WATER USE PLAN (Portions of 35-8420, 35-5721) Ac-ft/year								2019
	SURFACE DIV. #1	SURFACE DIV. #2	SURFACE DIV. #3	SURFACE DIV. #4	SURFACE DIV. #5	SPRING	6 WELLS	WATER RIGHT TOTAL
35-8420	0							0.00
35-12498						-	0.00	0.00
35-12499 (surface only)	0.00	0.00	0.00	0.00	0.00		-	0.00
35-12592 (surface only)	0.000	0.000	0.000	0.000	0.000	-	-	0.000
SOURCE TOTAL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Nonuse  
Nonuse  
Nonuse  
Nonuse  
Total

35-8420 0.06 cfs or 14 631 AF used to irrigate 4.87 acres and 3.24 ELUs. Nonuse filed in 2016 and expires April 30, 2023.  
35-12498 14.025 AF; Nonuse. Change to Domestic Use in 6 wells for 31 167 families. Nonuse expires Sep 30, 2024. Change lapsed in 2017.  
35-12499 16.65 AF Nonuse. 8 surface diversions only. Proof Due 7-31-2025.  
35-12592 12.537 AF; Nonuse. 8 surface diversions only. Non-Use until 2/28/2019

The Clissold water rights were either moved to Quarry Mountain or placed under nonuse. Mr. Clissold will update the plan when Nonuse ends or the year use begins again.



GARY R. HERBERT  
Governor

SPENCER J. COX  
Lieutenant Governor

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
Executive Director

### Division of Water Rights

KENT L. JONES  
State Engineer Division Director

May 14, 2019

Gorgoza Mutual Water Company  
Attn: Dan Schofield, General Manager  
7950 Pinebrook Road  
Park City, UT 84098

Dear Mr. Schofield:

Gorgoza Water Company's (Gorgoza's) 2019 Water Use Plan submitted on January 9, 2019 was recently reviewed. There are two columns listing Exchange E5108 diverting 315 ac-ft. The plan indicates 630 ac-ft is to be diverted from four wells (55 ac-ft from Well P3, 60 ac-ft from Well 4B, 200 ac-ft from Parleys Well, and 315 ac-ft from Partners Well) under E5108. E5108 is limited to 315 ac-ft. We removed the overage of 315 ac-ft from Partners Well so we could approve the plan, attached.

With this major correction, Gorgoza's 2019 Water Use Plan is approved to divert 1565 ac-ft, not 1880 ac-ft. It is important that Gorgoza coordinate with the water commissioners to officially report diversions at each "point of diversion" and quickly repair or replace any water measuring device that is not working properly.

Gorgoza's planning, water measurement, and reporting efforts each year are important and much appreciated by many. If you have questions, I can be reached at the number below.

Sincerely,

Ben L. Anderson, P.E.  
Distribution Engineer  
Field Services

Enclosure:

cc: Michael Drake, Regional Engineer  
Cole Panter, Weber River Water Commissioner  
Dennis Marchant, Deputy Commissioner



GORGOKA WATER USE PLAN							2019
SOURCE	35-6330 (E763)	35-10443 (E4034)	35-8454 35-8474 (a15031)	35-7752 (E2020)	35-12122 (E4821)	35-12475 (E5108)	Source Total
			1994*				
Two Mile Spring	26.00	40.00	139.66				205.66
Well P3		85.00				55.00	140.00
Dan's Well		38.00	34.14				72.14
Well #1		155.00					155.00
Well 4B	205.00		77.61			60.00	342.61
Well 4R	110.00	50.00					160.00
Southridge Well				30.00			30.00
Ankareh Well		45.00					45.00
Parley Well						200.00	200.00
Partners Well					215.00		215.00
<b>Water Right Total</b>	341.00	413.00	251.42	30.00	215.00	315.00	1565.42

\*The 1879 Priority was replaced with 1994 Priority under a15031 and 324.03 AF limit is reduced to 251.42 AF of equivalent groundwater not cut by priority. E5108 is 315 ac-ft limit, composed of the following existing exchanges being moved to E5108:  
150 AF segregated from E4034. E4034 has 413 AF remaining.  
135 AF segregated from E763. E763 has 361 AF remaining, 20 of which were contracted to JLS Properties LLC  
30 AF segregated from E2020. E2020 has 30 AF remaining.  
215 AF E4821 owned by Parley Recreation Partner's LLC. Added in 2017 Plan.



GARY R. HERBERT  
Governor

SPENCER J. COX  
Lieutenant Governor

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
Executive Director

### Division of Water Rights

KENT L. JONES  
State Engineer Division Director

May 14, 2019

High Valley Water Company  
Attn: Karen Sawyer, Water Manager  
P O Box 3435  
Park City, UT 84060

Dear Ms. Sawyer:

Thank you for submitting High Valley Water Company's 2019 Water Use Plan. The attached plan is hereby approved for implementation and water reporting.

It is important that High Valley Water Company coordinate with the water commissioners to officially report diversions at each "point of diversion" and quickly repair or replace any water measuring device that is not working properly.

High Valley Water Company's planning, water measurement, and reporting efforts each year are important and much appreciated by many. If you have questions, I can be reached at the number below.

Sincerely,

Ben L. Anderson, P.E.  
Distribution Engineer  
Field Services

Enclosure:

cc: Michael Drake, Regional Engineer  
Cole Panter, Weber River Water Commissioner  
Dennis Marchant, Deputy Commissioner



HIGH VALLEY WATER COMPANY WATER USE PLAN			2019
SOURCE	Well Location	E2846	Source Total
Atkinson #2 Well	N295 W100 SE 21 1S 4E SLBM	75.00	75.00
High Valley #2 Well	N75 W488 S4 22 1S 4E SLBM	210.00	210.00
<b>Water Right Total (Ac-Ft)</b>		285.00	285.00

Source originated under Weber Basin Contract No. 29505 for all 285 ac-ft.



GARY R. HERBERT  
Governor

SPENCER J. COX  
Lieutenant Governor

# State of Utah

## DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
Executive Director

### Division of Water Rights

KENT L. JONES  
State Engineer Division Director

May 14, 2019

Summit County Service Area #3  
Attn: Marla Howard, General Manager  
7215 No. Silver Creek Road  
Park City, Utah 84098

Dear Ms. Howard:

Thank you for submitting Summit County Service Area #3's 2019 Water Use Plan received on January 11, 2019. Your review and comments are helpful and appreciated. Attached is the approved plan, which is the same as the draft plan you submitted.

Summit County Service Area #3 may update or amend this plan whenever additional water rights are acquired or approved.

If you have any questions about the water rights, please call Mike Drake, Regional Engineer. If you have questions relating to the water use plan, I can be reached at the number below.

Sincerely,

Ben L. Anderson, P.E.  
Distribution Engineer  
Field Services

Enclosure:

cc: Michael Drake, Regional Engineer  
Cole Panter, Weber River Water Commissioner  
Dennis Marchant, Deputy Water Commissioner



SUMMIT CO SA#3 WATER USE PLAN						2019
Well Name	Well No. 1	Greenfield Well	Well 5616	2003 Well	Unmeasured Company & Private Wells	WATER RIGHT TOTAL
Location	S 1116 ft W 96 ft from NE cor, Sec 16, T 1S, R 4E	N 627 ft E 3692 ft from NW cor, Sec 16, T 1S, R 4E	S 3470 ft W 3502 ft from NE corner, Sec 16, T1S R 3E	N610 E1010 S4 8 1S 4E	Many Individual Wells	
35-9116 (E2451**)	108.0	0.0			100.0	208.0
35-9117 (E2452**)					28.5	28.5
35-9501 (E2934**)	0.0				1.0	1.0
35-9704 (a41736)	31.0	31.0		0.0	0.0	62.0
35-9118 (E2453)					61.0	61.0
35-12747 (E5310*)	6.0			0.0		6.0
35-11556 (E4387*)	0.0	1.0				
35-10024 (a18935**)#			1.0			1.0
35-10025 (a18936**)#			1.0			1.0
35-10703 (a23229**)	3.0					3.0
35-11945 (a31380**)	4.0					4.0
SOURCE TOTAL	152.0	32.0	2.0	0.0	190.5	376.5

6.25 shares of D&W at 6 ac-ft per share instead of 8 so reduced from 220.5 ac-ft to 208 ac-ft.

4.75 Shares of D&W at 6 ac-ft per share instead of 8 so reduced from 38 ac-ft to 28.5 ac-ft.

Based on D&W stock and other rights. Well at S600 E2325 NW 16 1S 4E SLBM is the only approved well. Un-named well.

Based on decreed rights. This right shows correct well locations. Change app allows use in 2003 Well and private wells.

Approved in 2013 to replace six existing Exchanges. Valid PODs are Well No. 1 and 2003 Well only, as approved.

Approved for Well 1 and Greenfield Well.

Small Company-Owned Water Right. High above Summit Park.

Small Company-Owned Water Right. High above Summit Park.

Well 1 POD is the only location approved under this application.

Well 1 POD is approved. Well 2 POD is about 200 ft west of Greenfield Well, so deliver in Well 1.

Well No. 1: S 1116 ft W 96 ft from NE cor, Sec 16, T 1S, R 4E, SLBM\*\*

\*Exchange based on WBWCD contracts

\*\*Exchange based on D&WCCC shares/contracts

# Well 5616 is located southwest of Summit Park, at S 3470 ft W 3502 ft from NE corner, Sec 16, T1S R 3E SLBM. Change applications are required to divert the 2 ac-ft elsewhere.